Better Wine through Chemistry

Jan & Tom Cobett American Wine Society

"Promoting Wine Appreciation Through Education"



What is wine?

 According to the Bible, wine is made only from grapes

 It is probable that the first wine, undoubtedly made by accident, was made from red grapes Most of the world's wine is not great and does not pretend to be.

Phílip Wagner

What is wine?

- If you crush any ripe fruit and keep it covered in a clean container, over time, it will ferment and become a beverage containing ethanol
- If you don't consume this wine as soon as it is drinkable, it will begin to rapidly deteriorate, unless, you understand how to use Chemistry to preserve and enhance the wine

The difference between primitive winemaking and enlightened winemaking is that one is laborious and uncertain in its result.

The other is less laborious and more certain.

Philip Wagner

How is wine produced?

- Ripe grapes are separated from their stems and then crushed
- Natural or cultured yeasts convert the sugars to alcohol
- The skins contribute color and tannins
- The pulp, skins and seeds are pressed to liberate wine

Grapes Contain

- 70-80% Water
- 10-25% Sugar (glucose and fructose)
- 0.5-1.5% Acid (tartaric and malic)
 - Hot, dry climates produce low acid grapes
 - Cool, wet climates produce high acid grapes

Grapes Contain

 0.2-0.3% Minerals (sulfates, phosphates and chlorides)

- 0.05-0.1% Nitrogen Compounds (yeast food) and Pectin (causes hazy wine)
- Thiamines and Antioxidants (good stuff)

Sugar and Acid need to be "balanced"

- Too much residual sugar is "flabby" or "cloying" if sufficient acid is not present
- Deficient sugar can be corrected by adding beet, cane or grape sugar
- Sugar contents above about 30% will create some residual sugar in the wine after fermentation

Sugar and Acid need to be "balanced"

- Too much acid without sufficient residual sugar is "tart"
- Deficient acid can be corrected by adding Tartaric, Citric, Phosphoric or Sulfuric Acid
- Too much acid can be reduced by chemical (adding a base like Calcium Carbonate), biological (malo-lactic fermentation), or dilution methods

Healthy wines must have acids for longevity

- White wines generally have a pH of 2.8 to 3.4 and have higher acid than red wines
- Red wines generally have a pH of 3.4 to 3.8 and have lower acid than white wines

2% Sugar will produce about 1% Carbon Dioxide and 1% Ethanol (Ethyl Alcohol)

30° Brix = 15% alcohol

Without natural or cultured yeast, fermentation won't happen

- Natural yeasts are risky (might be great, might be awful)
- Cultured yeasts usually have a "killer factor" that destroys natural yeasts
- Cultured yeasts can accentuate aroma, mouth feel, color and longevity (These are the reasons why we use them)

If you want a red wine to taste like Italian Brunello, use a cultured yeast that comes from the grapes used to make Brunello.

Lalvin BM45 The Big Movement in winemaking

BM45 was isolated in the early 1990's in collaboration with the Consorzio del Vino Brunello de Montalcino and the University of Siena. BM45 is a relatively slow starter and is well suited for long maceration programs. It has high nitrogen requirements and can produce H₂S if nutrient starved. BM45 produces high levels of polysaccharides resulting in wines with great mouthfeel and improved color stability. BM45 is used on red varieties to contribute jam, spice and earthy elements. It also is used to minimize vegetal characteristics.

The minor reaction between the alcohol and the acids will produce a small amount of esters.

A little bit of ester is good

Too much ester is what we call vinegar

What can go wrong?

The wine looks bad
The wine smells bad
The wine tastes bad

What can go wrong?

- The wines starts out pretty good but is not doing well by the time Easter rolls around
- The wine tastes pretty good and you drink most of it right away only to find out that the two bottles that you saved for next year are actually even better by the time you drink them

How can we prevent the problems?

- Add Nitrogen (feed the yeast during fermentation)
- Add Oxygen (keep the yeast healthy during fermentation)
- Add Sulfur (most important additive to wine)

- Antiseptic
 - Destroys unwanted molds and bacteria during fermentation
- Antioxidant
 - Eliminates oxidation (browning)
- Preservative
 - Eliminates haze and prevents the formation of acetaldehydes (vinegar)

- Goes away after it does its job
- May be added by
 - Bubbling SO₂ Gas
 - Adding Potassium Meta Bisulfite (easier)
 - 1 gram into 1 gallon will give about
 150 ppm of SO₂

- Remove Sulfur with aeration
- Slosh it around
 - Dead yeast cells generate Sulfur
 - Rack the wine off the lees to get rid of the Sulfur odor

- The winemaker needs to fix Sulfur problems as soon as possible
- If high Sulfur is allowed to exist for any length of time, it is possible to generate Mercaptans – Sulfur compound
 - Mercaptans are just about the most foul smelling chemicals known to man used to odorize Natural Gas

Free Sulfur Dioxide Required as a Function of pH Value to maintain 1.0 to 2.0 ppm Molecular Sulfur Dioxide (from E. Peynaud and Y. Margalit)



pH Value

Out of Balance?

Add Sugar

- Potassium Sorbate will be needed to prevent re-fermentation; inhibits growth of yeast
- If Sorbate is used, do not let the wine go through Malo-lactic fermentation (keep SO₂ above about 60 ppm)
 - If Sorbated wines go through Malo-lactic fermentation they will smell like Geraniums
 - There is no way to correct this fault

Out of Balance?

- Add Acid
 - Tartaric (cream of tartar)
 - Citric
 - Acid Blend (Tartaric, Citric & Malic)
 - Sulfuric
 - Phosphoric

Color out of whack?

- Add color with extract from Colobel grapes
- Remove Color
 - Add Bentonite (will absorb pigment)
 - Add Poly Vinyl Polypyrrolidone (PVPP)
 - Add Sulfites (will bleach out color)
 - Add Hydrogen Peroxide

What else?

Remove odors Pass through activated Carbon Remove haze – Add Flocculants Remove foam Add antifoam (Silicones) Improve "mouth feel" – Add Glycerin

Plus all the chemicals we use for analytical testing

pH Value
Total Acid
Total SO₂

Better Wine through Chemistry?

How about No Good Wine without Chemistry!

How to fix bad wines

(How to score more points)

Oxidized Wine
Bacterial Problems
Out of Balance Wine
- Not enough Acid
- Too much Acid

Oxidized Wine

- Measure the pH Value and correct it
- Add sufficient Potassium Meta Bisulfite
- Learn how to use Titrettes



Bacterial Problems

- Measure the pH Value and correct it
- Add sufficient Potassium Meta Bisulfite
- Keep everything clean

Out of Balance Wine Not enough Acid Too much Acid Enough Acid for good taste and long life Red Wines – pH 3.4-3.6 White Wines – pH 3.0-3.4 If you have higher Acid (lower pH) you need less Sulfur Dioxide

Grape Characteristics

- Eastern Grapes tend to be higher in Acid
- Western Grapes tend to be lower in Acid
- Grapes sold to home winemakers tend to be not the highest quality
- Blending Eastern and Western Grapes is often a good idea

Let's fix a low acid wine!

Everyone has 2 glasses of red wine
 The wine is a 2006 Nebbiolo from Lake County California
 The wine has a pH Value of 4.17
 We would like to adjust the pH Value to about 3.60

Let's evaluate the Nebbiolo

Look at the wine

Is it a bright purple-red color?

Smell the wine

Can you smell the fruit?

Taste the wine

Is it a bit flat?

How do we fix this wine?

Add Acid to get the pH down to 3.60
Which Acid should we use?

What do you have to work with?
Some acids are more powerful (you will need to use less of Sulfuric Acid than Acid Blend)

How much Acid do we need to add?

Measure the pH of the Base Wine

Put some of the base wine into a graduated cylinder

If you have a 1000 ml. cylinder
 Add 10 grams of the Acid you want to use

If you have a 100 ml. cylinder

Add 1 gram of the Acid you want to use

In either case, this is a 1% addition of Acid to the base wine

Measure the pH of the wine with the acid addition

2006 Nebbiolo

Base wine had a pH of 4.17
Adding 1 gram of Acid Blend to 100 ml

of wine dropped the pH to 2.97

A total shift of 1.20

To drop the pH to 3.57 (a total shift of 0.60) we would only need to add half the amount (0.5 ml)

That's an addition of 0.5% of Acid Blend

2006 Nebbiolo

- The glass of wine contains about 45 ml of Nebbiolo (1.5 ounces)
- 0.5% addition to 45 ml is about 0.225 grams of Acid Blend
- The plastic bag contains 0.225 gram of Acid Blend
- Add the Acid Blend to the second glass of Nebbiolo





ACID BLEND, Powder

40% Tartaric, 40% Malic, & 20 % Citirc acid Used to increase acidity in acid deficient wines and treat high pH wines prior to cold stabilization.

WARNING: May cause eye, skin and respiratory irritation. Flush with plenty of water after eye contact. Avoid breathing dust.

Presque Isle Wine Cellars 9440 W Main Rd, North East PA 16428 (814) 725-1314 Net weight: 8 lbs. (3.63 kg)





2006 Nebbiolo

Is this glass better than the first glass? Look at the wine – Is it a bright purple-red color? Smell the wine - Can you smell the fruit now? Taste the wine - Is it still a bit flat?

2006 Nebbiolo

- Instead of needing over 100 ppm of Sulfur Dioxide at pH 4.17
- It now needs only 60 ppm of Sulfur Dioxide at pH 3.57
- The acid adjusted wine will last longer

What does our wine production area look like? Probably very much like yours!

















Any questions?

Better Wine through Chemistry

Jan & Tom Cobett American Wine Society

"Promoting Wine Appreciation Through Education"

